

# **Declaration of Performance**

ROMEX Quality Standards (Tested according to DIN EN ISO 9001:2008)

# ROMPOX®-FLEX-JOINT-LIGHT regarding product

rogaranig produc

1. Unique identification code for product type:

# **ROMEX® ROMPOX®- FLEX-JOINT-LIGHT**

2. Type, lot or serial number or other such element allowing the identification of the construction product as specified in Article 11 (4):

### Batch number: see product packaging

3. The intended use of the construction product by the manufacturer (i) in accordance with the applicable harmonized technical specification:

#### Grouts, for outdoor use

4. Manufacturer's name, registered trade name, registered trademark and notification address as referred to in Article 11 (5):

ROMEX® GmbH Von-Bassenheim-Str. 2 D-53881 Euskirchen Germany

5. Where applicable, the name and the address of the authorized representative, whose mandate includes the tasks set out in Article 12 (2):

ROMEX® GmbH Von-Bassenheim-Str. 2 D-53881 Euskirchen Germany

6. Systems or systems for the assessment and verification of the constancy of performance of a construction product, as set out in Annex V:

## According to scheme 4

7. Notified body in the case of a declaration of performance for a construction product covered by harmonized standards:

#### not relevant



8.	In the case of performance declarations for construction products for which a European
	Technical Assessment has been issued:

#### not relevant

9. Declaration Performance:

Basic features	Performance (Laboratory test)	Harmonized technical specifications
bending strength:	1,2 N/mm²	ROMEX
Compressive strength:	1	Quality Standards
water permeability:	1,6 liter/min/m²	Quality Otaridards
max. expansion:	9,26 %	

10. The performance of a product as defined in points 1 and 2 above corresponds to the performance stated in clause 9 above. Only the manufacturer specified in point 4 is responsible for issuing this performance declaration.

Person signing for and on behalf of the manufacturer:

Euskirchen, 01/08/2017	ROMEX® GmbH		
<b>Bert Meurer</b> CEO		<b>Stephan Frey</b> Quality Manager	